

8250 liter tank i Stål (emaljerad)



223 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Support ring made of Fe; sheet metal cuts in the insulating jacket; original manhole cover is no longer present (a similar manhole cover is enclosed loose, see photos); the enamel layer is slightly chipped in places on 1 connection (see photos)

Volumetric volume (L): 8.250 L

Pressure in tank: vacuum

Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 685 L

Max Overpressure: 7 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 150

Agitator: yes

Power: 15

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.310 mm

Cylinder height: 2.100 mm

Total height of tank: 5.250 mm

SKU: 274162

Mer information

Beskrivning av produkt

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Support ring made of Fe; Sheet metal cut offs in the insulating jacket; the original manhole cover is no longer available (a similar manhole cover is loose, see photos);

Övrig information2: with 1 connection the enamel layer is slightly flaked off in places (see photos); we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Volym i liter: 8250

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Dimensioner av tank

Cylinderhöjd: 2.100 mm
Invändig diameter: 2.000 mm
Total höjd: 5.250 mm
Ytterdiameter: 2.310 mm

Omrörare

Kraft (kW): 15

Mer

Isolerad: Ja