

## 8250 liter tank i Stål (emaljerad)



## 226,000,00 kr /st exkl moms

**Additional information:** Pharmaceutical chemistry; Support ring made of Fe; Sheet metal cut offs in the insulating jacket; the original manhole cover is no longer available (a similar manhole cover is loose, see photos); with 1 connection the enamel layer is slightly flaked off in places (see photos)

**Volumetric volume (L):** 8.250 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 6 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 685 L

**Max Overpressure:** 7 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 200 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 150

**Agitator:** yes

**Power:** 15

**Internal diameter tank:** 2.000 mm

**Outer diameter tank:** 2.310 mm

**Cylinder height:** 2.100 mm

**Total height of tank:** 5.250 mm

**SKU:** 274162

## Mer information

### Beskrivning av produkt

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Support ring made of Fe; Sheet metal cut offs in the insulating jacket; the original manhole cover is no longer available (a similar manhole cover is loose, see photos);

Övrig information2: with 1 connection the enamel layer is slightly flaked off in places (see photos); we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Volym i liter: 8250



## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Dimensioner av tank

Cylinderhöjd: 2.100 mm  
Invändig diameter: 2.000 mm  
Total höjd: 5.250 mm  
Ytterdiameter: 2.310 mm

## Omrörare

Kraft (kW): 15

## Mer

Isolerad: Ja