

2000 liter tank i Rostfritt 304



58,000,00 kr /st exkl moms

Additional information: Rinse water tank (Cip system) in a dairy; Cone height approx. 1000 mm; manhole approx. 430 mm (slightly unround); dents in the upper bottom; insulation jacket cut open at the end of the cone bottom (see photos); some residues of previous content; bump at the insulation jacket; pipe end cut flush

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 150

Internal diameter tank: 1.340 mm

Outer diameter tank: 1.500 mm

Cylinder height: 1.400 mm

Total height of tank: 3.500 mm

SKU: 463251

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Rinse water tank (Cip system) in a dairy; Cone height approx. 1000 mm; manhole approx. 430 mm (slightly unround); dents in the upper bottom; insulation jacket cut open at the end of the cone bottom

Övrig information2: (see photos); some residues of previous content; bump at the insulation jacket; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.400 mm

Invändig diameter: 1.340 mm

Total höjd: 3.500 mm

Ytterdiameter: 1.500 mm

Mer

Isolerad: Ja
